

NG | KUTAHYA
USA

PRODUCT CATALOG / 2026

www.ngkutahyausa.com



ING | KUTAHYA
USA

24"x48"

Alaska	20
Alba	22
Albatros	23
Avend	24
Armada	25
Barbados	26
Belgium Stone	28
Black Calacatta	29
Infinity	30
Leonardo	32
Limra	34
Messina	36
Nordic	38
Opal	39
Pulpis Prime	40
Ravel	42
Royal Calacatta	44
Royal Pietra	45
Statu	46
Swan	48
Travertine	50
Valeria	52
Vista	53

48"x48"

Alaska	56
Armada	57
Infinity	59
Messina	60
Octavia	61
Opal	62
Padova	63
Pulpis Prime	65
Ravel	66
Statu	68
Travertine	70
Valeria	71
Vista	72

32"x64"

Padova	76
Ravel	80
Swan	82

24"x36"

Leonardo	90
London	92
Riva	94
Vista	95

48"x110"

Ambra	98
Argento	99
Asos	100
Bianco Carrara	101
Black Calacatta	102
Breccia Capraia	103
Calacatta Viola	106
Cosmos	108
Desert Rose	111
Dolomit	112
Essential	114
Iconni	116
Linea	118
Brera	119

Luna Perla	120
Magma	121
Messina	122
Meteora	130
Onice Light	133
Padova	134
Paradise	141
Picasso	143
Portland	144
Portland Veincut	148
Pulpis Prime	152
Pura Cross	156
Pura Vein	157
Ravel	158
Saga	162
Sara	164
Sierra	165
Swan	168
Travertine	176
Travertino Capriche	178
Vega	180
Vista	182


Glazed Porcelain Tiles

NG KUTAHYA USA		GLAZED PORCELAIN TILES TECHNICAL CHARACTERISTICS		
Norms	Technical Characteristics		Required Values	NG KUTAHYA USA Glazed Product Declared Values*
EN ISO 10545-2	Dimensions and surface quality	Length and width	± % 0,6 (± 2,0 mm)	± % 0,3
		Thickness	± % 5 (± 0,5 mm)	± % 5 (± 0,5 mm)
		Straightness of sides	± % 0,5 (± 1,5 mm)	± % 0,3
		Rectangularity	± % 0,5 (± 2,0 mm)	± % 0,3
		Centre - edge curvature - warpage	± % 0,5 (± 2,0 mm)	+ % 0,2 / - % 0,1
		Surface quality	% 95	% 95
EN ISO 10545-3	Water absorption %		≤ % 0,5 (individual max. % 0,6)	≤ % 0,3
EN ISO 10545-4	Breaking strength (N)	thickness ≥ 7,50mm	min. 1.300 N	min. 1.800 N
		thickness < 7,50mm	min. 700 N	min. 750 N
	Modulus of rupture (N/mm ²)		min. 35 N/mm ²	min. 40 N/mm ²
EN ISO 10545-5	Impact resistance as, coefficient of restitution (cor)		Declared value	Resistant
EN ISO 10545-7	Abrasion resistance		Abrasion class and cycles passed	Class 2 - 3 - 4 - 5
EN ISO 10545-8	Linear thermal expansion		Declared value	6,00 x10 ⁻⁶ - 7,50 x10 ⁻⁶
EN ISO 10545-9	Thermal shock resistance		Required	Resistant
EN ISO 10545-10	Moisture expansion		Declared value	% 0,01
EN ISO 10545-11	Crazing resistance		Required	Resistant
EN ISO 10545-12	Frost resistance		Required	Resistant
EN ISO 10545-13	Resistance to low concentrations of acids and alkalis		Declared value	LA/LB
	Resistance to high concentrations of acids and alkalis		Declared value	HB/HB
	Resistance to household chemicals and swimming pool salts		min. B	A / B
EN ISO 10545-14	Resistance to staining		min. 3.class	min. 3.class
EN ISO 10545-15	Release of dangerous substance Lead - Cadmium		Declared value	Pb < 0,1 Cd < 0,01
DIN 51130-51097 CEN/TS 16165	Slipperiness		Declared value	Class R9 - R10 - R11 - R12
EN 12004:2007+A1:2012,4,1	Bond strength adhesion	Cementitious adhesives	Declared value	≥ 1,0 Tip C2
EN 12004:2007+A1:2012,4,2		Dispersion adhesives	Declared value	
EN 12004:2007+A1:2012,4,3		Reaction resin adhesives	Declared value	
		Mortar	Declared value	
	Reaction to fire		A1 or A1 _{FL}	A1 or A1 _{FL}
CEN/TS15209	Tactility		Declare surface description	Declare surface description
Notes * EN 14411 Dry pressed ceramic tiles with low water absorption Ek G (Grup Bla) E < %0,5 glazed (GL) * The test results refer only to first choice items and they do not regard the trimbles. The values are based on average production values. * NG Kütahya Seramik reserve the right to modify technical and formal details included in this catalog.				


Floor Tiles

NG KUTAHYA USA		FLOOR TILES TECHNICAL CHARACTERISTICS		
Norms	Technical Characteristics		Required Values	NG KUTAHYA USA Glazed Product Declared Values*
EN ISO 10545-2	Dimensions and surface quality	Length and width	± % 0,6 (± 2,0 mm)	± % 0,3
		Thickness	± % 5 (± 0,5 mm)	± % 5 (± 0,5 mm)
		Straightness of sides	± % 0,5 (± 1,5 mm)	± % 0,3
		Rectangularity	± % 0,5 (± 2,0 mm)	± % 0,3
		Centre - edge curvature - warpage	± % 0,5 (± 2,0 mm)	+ % 0,2 / - % 0,1
		Surface quality	% 95	% 95
EN ISO 10545-3	Water absorption %		≤ % 3 (individual max. % 0,6)	≤ % 2
EN ISO 10545-4	Breaking strength (N)	thickness ≥ 7,50mm	min. 1.100 N	min. 1.500 N
		thickness < 7,50mm	min. 700 N	min. 900 N
	Modulus of rupture (N/mm ²)		min. 30 N/mm ²	min. 33 N/mm ²
EN ISO 10545-5	Impact resistance as, coefficient of restitution (cor)		Declared value	Resistant
EN ISO 10545-7	Abrasion resistance		Abrasion class and cycles passed	Class 2 - 3 - 4 - 5
EN ISO 10545-8	Linear thermal expansion		Declared value	6,00 x10 ⁻⁶ - 7,50 x10 ⁻⁶
EN ISO 10545-9	Thermal shock resistance		Required	Resistant
EN ISO 10545-10	Moisture expansion		Declared value	% 0,01
EN ISO 10545-11	Crazing resistance		Required	Resistant
EN ISO 10545-12	Frost resistance		Required	Resistant
EN ISO 10545-13	Resistance to low concentrations of acids and alkalis		Declared value	LA/LB
	Resistance to high concentrations of acids and alkalis		Declared value	HB/HB
	Resistance to household chemicals and swimming pool salts		min. B	A / B
EN ISO 10545-14	Resistance to staining		min. 3.class	min. 3.class
EN ISO 10545-15	Release of dangerous substance Lead - Cadmium		Declared value	Pb < 0,1 Cd < 0,01
DIN 51130-51097 CEN/TS 16165	Slipperiness		Declared value	Class R9 - R10 - R11 - R12
EN 12004:2007+A1:2012,4,1	Bond strength adhesion	Cementitious adhesives	Declared value	≥ 1,0 Tip C2
EN 12004:2007+A1:2012,4,2		Dispersion adhesives	Declared value	
EN 12004:2007+A1:2012,4,3		Reaction resin adhesives	Declared value	
		Mortar	Declared value	
	Reaction to fire		A1 or A1 _{FL}	A1 or A1 _{FL}
CEN/TS15209	Tactility		Declare surface description	Declare surface description
Notes * EN 14411 Dry pressed ceramic tiles with low water absorption Ek H (Grup Blb) % 0,5 < E < %3 glazed (GL) * The test results refer only to first choice items and they do not regard the trimbles. The values are based on average production values. * NG Kütahya Seramik reserve the right to modify technical and formal details included in this catalog.				

Wall Tiles

NG KUTAHYA USA		WALL TILES TECHNICAL CHARACTERISTICS		
Norms	Technical Characteristics		Required Values	NG KUTAHYA USA Glazed Product Declared Values*
EN ISO 10545-2	Dimensions and surface quality	Length and width	± % 0,5 (± 2,0 mm)	± % 0,25
		Thickness	± % 10 (± 0,5 mm)	± % 6 (± 0,5 mm)
		Straightness of sides	± % 0,3 (± 1,5 mm)	± % 0,25
		Rectangularity	± % 0,5 (± 2,0 mm)	± % 0,25
		Centre - edge curvature - warpage	+ % 0,5 / - % 0,3 (+2mm / -1,5mm)	+ % 0,3 / - % 0,1
		Surface quality	% 95	% 95
EN ISO 10545-3	Water absorption %		≥ % 10 - ≤ % 20 (individual max. % 9)	≥ % 10 - ≤ % 19
EN ISO 10545-4	Breaking strength (N)	thickness ≥ 7,50mm	min. 600 N	min. 900 N
		thickness < 7,50mm	min. 200 N	min. 350 N
	Modulus of rupture (N/mm ²)	thickness ≥ 7,50mm	min. 12 N/mm ²	min. 15 N/mm ²
		thickness < 7,50mm	min. 15 N/mm ²	min. 18 N/mm ²
EN ISO 10545-5	Impact resistance as, coefficient of restitution (cor)		Declared value	Resistant
EN ISO 10545-7	Abrasion resistance		Abrasion class and cycles passed	Class 2 - 3 - 4 - 5
EN ISO 10545-8	Linear thermal expansion		Declared value	5,50 x10 ⁻⁶ - 6,50 x10 ⁻⁶
EN ISO 10545-9	Thermal shock resistance		Required	Resistant
EN ISO 10545-10	Moisture expansion		Declared value	% 0,03
EN ISO 10545-11	Crazing resistance		Required	Resistant
EN ISO 10545-12	Frost resistance		Required	Resistant
EN ISO 10545-13	Resistance to low concentrations of acids and alkalis		Declared value	LA/LB
	Resistance to high concentrations of acids and alkalis		Declared value	HB/HB
	Resistance to household chemicals and swimming pool salts		min. B	A / B
EN ISO 10545-14	Resistance to staining		min. 3.class	min. 4.class
EN ISO 10545-15	Release of dangerous substance Lead - Cadmium		Declared value	Pb < 0,1 Cd < 0,01
DIN 51130-51097 CEN/TS 16165	Slipperiness		Declared value	Not applicable
EN 12004:2007+A1:2012,4,1	Bond strength adhesion	Cementitious adhesives	Declared value	≥ 0,5 Tip C1
EN 12004:2007+A1:2012,4,2		Dispersion adhesives	Declared value	
EN 12004:2007+A1:2012,4,3		Reaction resin adhesives	Declared value	
		Mortar	Declared value	
	Reaction to fire		A1 or A1 _{FL}	A1 or A1 _{FL}
CEN/TS15209	Tactility		Declare surface description	Declare surface description
Notes * EN 14411 Dry pressed ceramic tiles with low water absorption Ek k (Grup BIII) E > %10 glazed (GL) * The test results refer only to first choice items and they do not regard the trimbles. The values are based on average production values. * NG Kütahya Seramik reserve the right to modify technical and formal details included in this catalog.				

Performa 20 mm

NG KUTAHYA USA		PERFORMA 20 MM GLAZED PORCELAIN TILES TECHNICAL CHARACTERISTICS		
Norms	Technical Characteristics		Required Values	NG KUTAHYA USA Glazed Product Declared Values*
EN ISO 10545-2	Dimensions and surface quality	Length and width	± % 0,6 (± 2,0 mm)	± % 0,3
		Thickness	± % 5 (± 0,5 mm)	± % 5 (± 0,5 mm)
		Straightness of sides	± % 0,5 (± 1,5 mm)	± % 0,3
		Rectangularity	± % 0,5 (± 2,0 mm)	± % 0,3
		Centre - edge curvature - warpage	± % 0,5 (± 2,0 mm)	+ % 0,2 / - % 0,1
		Surface quality	% 95	% 95
EN ISO 10545-3	Water absorption %		≤ % 0,5 (individual max. % 0,6)	≤ % 0,3
EN ISO 10545-4	Breaking strength (N)	thickness ≥ 7,50mm	min. 1.300 N	min. 10.000 N
		thickness < 7,50mm	min. 700 N	min. 10.000 N
	Modulus of rupture (N/mm ²)		min. 35 N/mm ²	min. 45 N/mm ²
EN ISO 10545-5	Impact resistance as, coefficient of restitution (cor)		Declared value	Resistant
EN ISO 10545-7	Abrasion resistance		Abrasion class and cycles passed	Class 2 - 3 - 4 - 5
EN ISO 10545-8	Linear thermal expansion		Declared value	6,00 x10 ⁻⁶ - 7,50 x10 ⁻⁶
EN ISO 10545-9	Thermal shock resistance		Required	Resistant
EN ISO 10545-10	Moisture expansion		Declared value	% 0,01
EN ISO 10545-11	Crazing resistance		Required	Resistant
EN ISO 10545-12	Frost resistance		Required	Resistant
EN ISO 10545-13	Resistance to low concentrations of acids and alkalis		Declared value	LA/LB
	Resistance to high concentrations of acids and alkalis		Declared value	HB/HB
	Resistance to household chemicals and swimming pool salts		min. B	A / B
EN ISO 10545-14	Resistance to staining		min. 3.class	min. 3.class
EN ISO 10545-15	Release of dangerous substance Lead - Cadmium		Declared value	Pb < 0,1 Cd < 0,01
DIN 51130-51097 CEN/TS 16165	Slipperiness		Declared value	Class R9 - R10 - R11 - R12
EN 12004:2007+A1:2012,4,1	Bond strength adhesion	Cementitious adhesives	Declared value	≥ 1,0 Tip C2
EN 12004:2007+A1:2012,4,2		Dispersion adhesives	Declared value	
EN 12004:2007+A1:2012,4,3		Reaction resin adhesives	Declared value	
		Mortar	Declared value	
	Reaction to fire		A1 or A1 _{FL}	A1 or A1 _{FL}
CEN/TS15209	Tactility		Declare surface description	Declare surface description
Notes * EN 14411 Dry pressed ceramic tiles with low water absorption Ek G (Grup BIa) E < %0,5 glazed (GL) * The test results refer only to first choice items and they do not regard the trimbles. The values are based on average production values. * NG Kütahya Seramik reserve the right to modify technical and formal details included in this catalog.				

Who We Are?

Founded in 1989 under the leadership of Nafi Gral, NG Ktahya Seramik is the pioneering porcelain brand of NG Group, chaired by Erkan Gral. With 37 years of experience, a strong corporate structure and an innovative vision, the brand holds a respected position both in Trkiye and international markets.

Viewing ceramics as an architectural value, NG Ktahya Seramik leads the industry through its high production capacity and innovation-driven approach.

Operating within a single integrated complex with more than 4.400,000 sqf of covered production area and an annual production capacity of 85 million m², NG Ktahya Seramik manufactures porcelain products in a wide range of sizes, from 12"x24" to 64"x128". **Equipped with Industry 4.0 infrastructure, these facilities support the brand's leadership in the domestic market and its global competitiveness.**



Inspired by natural stone, marble, wood, concrete and metal textures, the collections offer flexible solutions for architectural projects through a wide range of sizes and surface options. Strengthening its global reach with more than 280 business partners across Trkiye and an export network extending to over 80 countries, the brand completes its product portfolio with **NG STONE** large-format porcelain slab solutions and **NG SLIM** ultra-thin porcelain panel solutions.

Awarded prestigious honors such as the Red Dot Design Award "Best of the Best" and the iF Product Design Award, NG Ktahya Seramik demonstrates its commitment to sustainability, hygiene and human health through its EPD, GREENGUARD and NSF certified products.


Today, the brand holds a globally referenced position in porcelain tile, porcelain panel and porcelain slab product groups.




A modern manufacturing facility bringing together innovation, aesthetics, and high quality.



4.400.000 sqf
Production Area



850 Million sqf
Annual Production
Capacity



Exports to
80+ Countries



280+ Sales Points
Accross Turkey

Inspired by nature, responsible for the future...

With our respect for the environment, the value we place on people, and our continuous improvement approach in business processes, we take responsibility not only for today but also for the future.

As NG Kütahya Seramik, we address sustainability in a holistic manner across social, environmental, and economic dimensions. We integrate sustainability principles into every aspect of our operations to manage our impact on the environment, society, and the business world in the most effective way, and to become a leader shaping the future.

Our Corporate Sustainability Principles

Environmental Responsibility
and Climate Leadership

Ethical Governance and
Transparency

Innovation
Focus

Social Responsibility
and Contribution

Value We Place on
Human Capital





■ Porcelain

We go beyond surfaces, bringing design, durability and technology together to shape contemporary living spaces.

*Balanced Proportion,
Timeless Impact*

24"x 48"

Collections

The 24x"48" format creates visual continuity in spaces while offering versatile solutions for both wall and floor applications.

Porcelain
Alaska



Alaska Gray Rectified

55015175RN GP V2

24" x 48" Polished Nano

8mm 6 Faces



Alaska Gray | 24" x 48"

Porcelain
Alba



Alba Rectified

55016948RN GP V3

24" x 48" Polished Nano

8mm 12 Faces

Porcelain
Albatros




Albatros Rectified

55012900RN GP V2

24" x 48" Polished Nano

8mm 8 Faces



Porcelain
Avend



Avend Rectified

55014710RN **GP** **V2**

24" x 48" Polished Nano

8mm 7 Faces

Porcelain
Armada



Armada Rectified

55018190RP **GP** **V2**

24" x 48" Polished Nano

8mm 8 Faces



Porcelain
Barbados




Barbados White Rectified

55014556RN GP V4

24" x 48" Polished Nano

8mm 6 Faces



Porcelain
Belgium Stone



Belgium Stone Rectified

55013259R GP V2

24" x 48" Polished Nano

8mm 6 Faces

Porcelain
Black Calacatta



Black Calacatta Rectified

55016626RN GP V3

24" x 48" Polished Nano

6mm 8 Faces



Porcelain
Infinity




Infinity Dark Gray Rectified

55015272R **GP** **V2**

24" x 48" **Matte**

8mm **9 Faces**




Infinity White Rectified

55015209R **GP** **V2**

24" x 48" **Matte**

8mm **9 Faces**




Infinity Anthracite Rectified

55015332R **GP** **V2**

24" x 48" **Matte**

8mm **9 Faces**

Infinity Dark Gray | 24" x 48"



Infinity Gray Rectified

55015271R **GP** **V2**

24" x 48" **Matte**

8mm **9 Faces**

Porcelain
Leonardo



Leonardo Gray Antislip Rectified

55012922R GP V2

24" x 48" Matte

8mm 6 Faces



Leonardo Bone Rectified

55014214R GP V2

24" x 48" Matte

8mm 6 Faces



Leonardo Anthracite Rectified

55013677R GP V2

24" x 48" Matte

8mm 6 Faces



Leonardo Bone | 24" x 48"



Limra Rectified

55012926RN GP V2

24" x 48" Polished Nano

8mm 8 Faces





Messina White Rectified

55018508RN GP V3

24" x 48" Polished Nano

8mm 10 Faces



Messina Light Gray Rectified

55018509RN GP V3

24" x 48" Polished Nano

8mm 10 Faces



Porcelain
Nordic



Nordic Rectified

55014100R **GP** **V3**

24" x 48" **Matte**

8mm **3 Faces**

Porcelain
Opal



Opal Bone Rectified

55012938RN **GP** **V3**

24" x 48" **Polished Nano**

8mm **8 Faces**



Porcelain
Pulpis Prime




Pulpis Prime Light Gray Rectified

55014983RN GP V3

24" x 48" Polished Nano

8mm 12 Faces




Pulpis Prime Light Gray Rectified

55017061R GP V3

24" x 48" Matte

8mm 12 Faces



Pulpis Prime Dark Gray Rectified

55017061R GP V3

24" x 48" Polished Nano

8mm 12 Faces

Pulpis Prime Dark Gray | 48" x 110"



Porcelain
Ravel



Ravel Beige Rectified

55017063R **GP** **V3**

24" x 48" **Matte**

8mm **6 Faces**



← Ravel Beige | 24" x 48"

Porcelain
Royal Calacatta



Royal Calacatta Rectified

55012940RN GP V2

24" x 48" Polished Nano

8mm 10 Faces

Porcelain
Royal Pietra




Royal Pietra Crystal Rectified

55016630RN GP V2

24" x 48" Polished Nano

8mm 8 Faces



Porcelain
Statu



Statu Rectified

55014917R **GP** **V3**

24" x 48" **Matte**

8mm **10 Faces**






Swan Latte Rectified

55018511RN GP V2

 24" x 48"  Polished Nano

 8mm  14 Faces



Swan Bone Rectified

55018510RN GP V2

 24" x 48"  Polished Nano

 8mm  14 Faces




Swan Latte Rectified

55018515R GP V2

 24" x 48"  Soft Matte

 8mm  14 Faces



Swan Bone Rectified

55018514R GP V2

 24" x 48"  Soft Matte

 8mm  14 Faces



Porcelain

Travertine



Travertine Ivory Rectified

55018242R GP V2

24" x 48" Matte

8mm 12 Faces



Porcelain
Valeria



Valeria Rectified

55016976RN GP V3

24" x 48" Polished Nano

8mm 13 Faces



Porcelain
Vista



Vista Bone Rectified

55012906R GP V2

24" x 48" Matte

8mm 8 Faces




Vista Gray Rectified

55012905R GP V2

24" x 48" Matte

8mm 10 Faces



Vista Gray Antislip Rectified

55013563R GP V2

24" x 48" Matte

8mm 10 Faces

*Strong Format,
Clear Impact*

48" x 48"

Collections

The 48x48 square format delivers a balanced and modern look across wide surfaces, enhancing architectural integrity.

Porcelain
Alaska



Alaska Gray Rectified

55015384RN GP V2

48" x 48" Polished Nano

8,5mm 4 Faces

Porcelain
Armada



Armada Rectified

55012971RN GP V2

48" x 48" Polished Nano

8,5mm 10 Faces





— Infinity Marfil | 48" x 48"




Infinity Marfil Rectified

55015023R GP V2

48" x 48" Matte

8,5mm 6 Faces



Infinity White Rectified

55014951R GP V2

48" x 48" Matte

8,5mm 6 Faces

Porcelain
Messina



Messina White Rectified

55018401RN GP V3

48" x 48" Polished Nano

8,5mm 6 Faces



Messina Beige Rectified

55018021R GP V3

48" x 48" Polished Nano

8,5mm 6 Faces

Porcelain
Octavia



Octavia Bone Rectified

55014170R GP V3

48" x 48" Matte

8,5mm 6 Faces



Octavia Bone | 48" x 48"

Porcelain
Opal



Opal Bone Rectified

55012983RN GP V3

48" x 48" Polished Nano

8,5mm 10 Faces

Porcelain
Padova



Padova White Rectified

55018588R GP V2

48" x 48" Matte


8,5mm 6 Faces



- Easy to Maintain
- Stain Free
- Scratch Free
- Resists Bacteria

Porcelain

Pulpis Prime




Pulpis Prime Light Gray Rectified

55017732R GP V3

48" x 48" Polished Nano

8,5mm 6 Faces



Pulpis Prime Light Gray Rectified

55013882RN GP V3

48" x 48" Matte

8,5mm 6 Faces

Porcelain
Ravel



Ravel Beige Rectified

55016627R GP V3

48" x 48" Matte

8,5mm 6 Faces



Porcelain
Statu



Statu Rectified

55014922R GP V3

48" x 48" Matte

8,5mm 10 Faces



Statu | 48" x 48"

Porcelain
Travertine




Travertine Ivory Rectified

55018613R **GP** **V2**

48" x 48" **Matte**

8,5mm **6 Faces**

Porcelain
Valeria



Valeria Rectified

55017208RN **GP** **V3**

48" x 48" **Polished Nano**

8,5mm **9 Faces**



Vista Bone Rectified

55012985R GP V2

48" x 48" Matte

8,5mm 6 Faces



Vista Gray Rectified

55012985R GP V2

48" x 48" Matte

8,5mm 6 Faces



— Vista Bone | 48" x 48"

*Elongated Form,
Seamless Design*

32" x 64"
Collections

The 32x64 size creates a strong rhythm in both vertical and horizontal applications, adding a dynamic character to spaces.



*A strong presence,
a modern interpretation.*

With its matte surface
and natural texture,
it brings a timeless character to
modern and industrial spaces.

Padova White Rectified

55018564R GP V2

32" x 64" Matte

8,5mm 6 Faces

Padova Bone Rectified

55018550R GP V2

32" x 64" Matte

8,5mm 6 Faces

Padova Gray Rectified

55018549R GP V2

32" x 64" Matte

8,5mm 6 Faces





*Pure texture.
Timeless design.*

Inspired by natural surfaces,
it delivers depth and sophistication
to architectural spaces.

Ravel Beige Rectified

55017089R GP V3

32" x 64" Matte

8,5mm 8 Faces

Ravel Gray Rectified

55017093R GP V3

32" x 64" Matte

8,5mm 8 Faces

Ravel Noce Rectified

55017036R GP V3

32" x 64" Matte

8,5mm 8 Faces



Swan Light Gray Rectified

55018540RN GP V2

 32" x 64"  Polished Nano

 8,5mm  8 Faces

Swan Light Gray Rectified

55018544R GP V2

 32" x 64"  Soft Matte

 8,5mm  8 Faces

Swan Bone Rectified

55018537RN GP V2


 32" x 64"  Polished Nano

 8,5mm  8 Faces

Swan Bone Rectified

55018541R GP V2

 32" x 64"  Soft Matte

 8,5mm  8 Faces





Swan Gray Rectified

55018539RN GP V2

32" x 64" Polished Nano

8,5mm 8 Faces

Swan Gray Rectified

55018543R GP V2

32" x 64" Soft Matte

8,5mm 8 Faces

Swan Latte Rectified

55018538RN GP V2

32" x 64" Polished Nano

8,5mm 8 Faces

Swan Latte Rectified

55018542R GP V2

32" x 64" Soft Matte

8,5mm 8 Faces

Enhanced Performance

24" x 36" | 20mm

Collections

The 24x36 format in 20 mm thickness offers high durability and long-lasting performance for outdoor and high-traffic areas.

Porcelain
Leonardo



Leonardo Gray Rectified

55017547R GP V2 R11

24" x 36" Matte

20mm 8 Faces




Leonardo Bone Rectified

55017547R GP V2 R11

24" x 36" Matte

20mm 8 Faces





London Gray Rectified

55017738R GP V2 R11

24" x 36" Polished Nano

20mm 10 Faces



Porcelain
Riva



Riva Ivory Rectified

55018309R **GP V2 R11**

24" x 36" Matte

20mm 8 Faces

Porcelain
Vista



Vista Gray Rectified

55017846R **GP V2 R11**

24" x 36" Matte

20mm 9 Faces



Riva Ivory | 24" x 36"

Bigger. More Impressive

48" x 110" Collections

The 48x110 large format creates seamless surfaces with minimal grout lines, delivering a bold and prestigious presence.

Porcelain
Ambra



Ambra Rectified

55018190RP GP V1

48" x 110" Polished

6mm 4 Faces

Porcelain
Argento





Argento Rectified

55020622R GP V3

48" x 110" DF Matte

6mm 3 Faces



Asos Rectified

55020602RP GP V3

48" x 110" Polished

6mm 4 Faces

Asos Bookmatch Rectified

55020602RP GP V1

48" x 110" Polished

6mm 2 Faces



Bianco Carrara Rectified

55018463RP GP V3

48" x 110" Polished

6mm 4 Faces

Bianco Carrara Rectified

55018464R GP V3

48" x 110" Soft Matte

6mm 4 Faces

Porcelain

Black Calacatta



Black Calacatta Rectified


55018163RP GP V3

48" x 110" Polished Nano

6mm 4 Faces

Porcelain

Breccia Capraia



Breccia Capraia Rectified

55019110RP GP V3

48" x 110" Polished


6mm 4 Faces





Porcelain

Calacatta Viola



Calacatta Viola Rectified

55019109RP GP V3

48" x 110" Polished

6mm 4 Faces

Porcelain
Cosmos




Cosmos Rectified

55018199RP GP V3

48" x 110" DM Polished

6mm 4 Faces



Desert Rose | 48" x 110" 




Porcelain

Desert Rose




Desert Rose Rectified

55018149RP GP V3

 48" x 110"  Polished

 6mm  5 Faces



Desert Rose Rectified

55018208R GP V3

 48" x 110"  Soft Matte

 6mm  5 Faces

Porcelain
Dolomit



Dolomit Rectified

55018411RP **GP** **V2**

48" x 110" Polished

6mm 3 Faces

Dolomit Rectified

55018448R **GP** **V2**

48" x 110" Soft Matte

6mm 3 Faces



Porcelain
Essential



Essential Gray Rectified

55020626R GP V3

48" x 110" DF Matte

6mm 3 Faces

Essential Sand Rectified

55020627R GP V3

48" x 110" DF Matte

6mm 3 Faces

Talora Gray | 48" x 110"





Iconni Walnut Rectified

55018407R **GP** **V2**

48" x 110" **Matte**

6mm **2 Faces**



Iconni | 48" x 110"

Porcelain
Linea



Linea Beige Rectified

55018241R **GP** **V3**

48" x 110" DF Matte

6mm 3 Faces

Porcelain
Brera



Brera Beige Rectified

55018240R **GP** **V3**

48" x 110" DF Matte

6mm 3 Faces

Porcelain
Luna Perla



Luna Perla Rectified

55018297RP GP V3

48" x 110" DF Polished

6mm 3 Faces



Luna Perla Rectified

55020629RS GP V3

48" x 110" DF Satinato

6mm 3 Faces

Porcelain
Magma



Magma Bookmatch Rectified

55018198RP GP V1

48" x 110" Polished

6mm 2 Faces

Magma Rectified

55018227RP GP V1

48" x 110" Polished

6mm 2 Faces



Messina Light Gray Rectified

55018418R GP V3

 48" x 110"  Matte

 6mm  4 Faces

Messina Light Gray Rectified


55018146RP GP V3

 48" x 110"  Polished

 6mm  4 Faces

Messina Beige Rectified

55018148RP GP V3

 48" x 110"  Polished

 6mm  4 Faces

Messina Beige Rectified


55018408R GP V3

 48" x 110"  Matte

 6mm  4 Faces



Porcelain
Messina



Messina White Rectified

55018419R **GP** **V3**

48" x 110" **Matte**

6mm **4 Faces**

Messina White Rectified

55018147RP **GP** **V3**

48" x 110" **Polished**

6mm **4 Faces**



— Messina White | 48" x 110"

— Messina Light Gray | 48" x 110"



Porcelain
Meteora



Meteora Rectified

55018152R **GP** **V2**

48" x 110" **Matte**

6mm **3 Faces**





-  Easy to Maintain
-  Stain Free
-  Scratch Free
-  Resists Bacteria

Porcelain

Onice Light



Onice Light Rectified

55018470RP GP V2

 48" x 110"  Polished

 6mm  3 Faces

Onice Light Bookmatch Rectified

55018429RP GP V1

 48" x 110"  Polished

 6mm  2 Faces



*A refined balance,
a contemporary touch.*

With its subtle tones and elegant texture, it creates a harmonious atmosphere in modern living spaces.

Padova White Rectified

55018890R GP V2

48" x 110" Matte

6mm 3 Faces

Padova Bone Rectified

55018446R GP V2

48" x 110" Matte

6mm 3 Faces

Padova Gray Rectified

55018447R GP V2

48" x 110" Matte

6mm 3 Faces

— Padova Gray | 48" x 110"






— Padova White | 48" x 110"



Porcelain
Paradise



Paradise Rectified


55018145RP **GP** **V2**

 48" x 110"  DF Polished

 6mm  4 Faces



Porcelain
Picasso



Picasso Rectified

55018137RP GP V3

48" x 110" DM Polished

6mm 5 Faces



*Minimal lines,
maximum impact.*

Its balanced composition and modern finish define spaces with clarity and confidence.

Portland Beige Rectified

55018428R GP V2

 48" x 110"  Matte

 6mm  4 Faces

Portland Lead Gray Rectified

55018434R GP V2

 48" x 110"  Matte

 6mm  4 Faces

Portland Gray Rectified

55018431R GP V2

 48" x 110"  Matte

 6mm  4 Faces



Porcelain

Portland Veincut



Modern elegance in natural veining.

Portland Veincut combines stone texture with subtle vein transitions, bringing a balanced and sophisticated character to spaces.

Portland Veincut Beige Rectified

55018430R GP V2

48" x 110" Matte

6mm 3 Faces

Portland Veincut Lead Gray Rectified

55018436R GP V2

48" x 110" Matte

6mm 3 Faces

Portland Veincut Gray Rectified

55018433R GP V2


48" x 110" Matte

6mm 3 Faces

Portland Veincut Lead Gray | 48" x 110"



Porcelain
Pulpis Prime



*Surfaces defined by
 simplicity and balance.*

Combined with the strong and well-balanced tone of Pulpis Prime, they create a modern sense of unity within spaces.

Pulpis Prime Light Gray Rectified

55018156RP GP V3

48" x 110" Polished

6mm 3 Faces

Pulpis Prime Chocolate Rectified

55018175R GP V3

48" x 110" Matte

6mm 3 Faces

Pulpis Prime Dark Gray Rectified

55018165RP GP V3

48" x 110" Polished

6mm 3 Faces



Porcelain
Pura Cross



Pura Cross Beige Rectified

55020621R GP V3

48" x 110" SHP Matte

6mm 3 Faces

Porcelain
Pura Vein



Pura Vein Rectified

55018179R GP V3

48" x 110" SHP Matte

6mm 3 Faces



*Natural elegance,
modern strength.*

Combining authentic texture with refined surfaces, it offers a distinguished presence in any setting.

Ravel Beige Rectified

55018164R GP V3

48" x 110" Matte

6mm 3 Faces

Ravel Gray Rectified

55018181R GP V3

48" x 110" Matte

6mm 3 Faces

Ravel Noce Rectified

55018182R GP V3

48" x 110" Matte

6mm 3 Faces



Porcelain
Saga



Saga Rectified

55018467RP GP V3

48" x 110" Polished

6mm 4 Faces



Sara Gray Rectified

55018982R GP V2

48" x 110" SHP Matte

6mm 3 Faces

Sara Sand Rectified

55028175R GP V2

48" x 110" SHP Matte

6mm 3 Faces



Sierra Graphite Rectified

55018184R GP V3

48" x 110" Matte

6mm 3 Faces

Sierra Gray Rectified

55018174R GP V3

48" x 110" Matte

6mm 3 Faces






Swan Light Gray Rectified

55018442RP GP V2

 48" x 110"  Polished

 6mm  4 Faces

Swan Light Gray Rectified

55018424R GP V2

 48" x 110"  Soft Matte

 6mm  4 Faces

Swan Bone Rectified

55018439RP GP V2

 48" x 110"  Polished

 6mm  4 Faces

Swan Bone Rectified

55018420R GP V2

 48" x 110"  Soft Matte

 6mm  4 Faces





Swan Gray Rectified

55018441RP GP V2

48" x 110" Polished

6mm 4 Faces

Swan Gray Rectified

55018426R GP V2

48" x 110" Soft Matte

6mm 4 Faces

Swan Latte Rectified

55018440RP GP V2

48" x 110" Polished

6mm 4 Faces

Swan Latte Rectified

55018440RP GP V2

48" x 110" Soft Matte

6mm 4 Faces



Porcelain
Travertine



Travertine Ivory Rectified

55018178R GP V2

48" x 110" Matte

6mm 4 Faces





Porcelain

Travertino Capriche



Travertino Capriche Rectified

55018432R GP V3

48" x 110" DF Matte

6mm 3 Faces

Porcelain
Vega



Vega Light Gray Rectified

55018177R GP V2

48" x 110" Soft Matte

6mm 3 Faces

Vega Light Gray | 48" x 110"





Vista Anthracite Rectified

55018172R GP V2


 48" x 110"  Matte

 6mm  3 Faces

Vista Bone Rectified

55018158R GP V2

 48" x 110"  Matte

 6mm  3 Faces

Vista Lead Gray Rectified

55018170R GP V2

 48" x 110"  Matte

 6mm  3 Faces

Vista Gray Rectified

55018154R GP V2

 48" x 110"  Matte

 6mm  3 Faces

— Vista Lead Gray | 48" x 110"



— Vista Bone | 48" x 110"



NG | KUTAHYA
USA

A: 7855 NW 41st Ste 200 Doral Florida 33166

P: 786-953-6555 **E:** sales@ngkutahyausa.com

www.ngkutahyausa.com